STATEMENT OF WORK (SOW)

NSN 5999-01-170-9656

for
Inspection and Repair Only As Necessary (IROAN)
of the
AN/TPS-59(V)3
Delay Line

- 1.0 <u>Scope.</u> This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the Contractor to IROAN the AN/TPS-59(V)3 Delay Line, NSN 5999-01-170-9656, part number 7326651G3, CAGE 03538, (hereafter referred to as Delay Line). This document contains requirements to restore the Delay Line to Condition Code "A." Condition Code "A" is defined as "serviceable/issuable without qualification; new, used, repaired or reconditioned material that is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."
- 1.1 <u>Background</u>. IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."
- 2.0 Applicable Documents. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplements thereto which are in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirements.

2.1 <u>Military Standards</u>

MIL-STD-2073-ID DoD Standard Practice for Military Packaging
MIL-STD-129 DoD Standard Practice for Military Marking

2.2 Other Government Documents and Publications

Engineering Drawing

7326651, CAGE 03538 Drawing Assembly, Delay Line

Engineering Drawing

7326651G3, CAGE 03538 Parts List, Delay Line

DOD 4000.25-1-M Military Standard Requisitioning and Issue

Procedures (MILSTRIP)

Military Handbooks (For Guidance)

MIL-HDBK-61

Configuration Management Guidance

2.3 Industry Standards

ANSI/ISO/ASQC Q9001-2000

Quality Management Systems-Requirements

JESD625-A

Requirements for Handling Electrostatic-Discharge

Sensitive (ESDS) Devices

Industry Standards (For Guidance)

ANSI/EIA-649

National Consensus Standard for Configuration

Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179, or http://www.dodssp.daps.mil. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Contracts Department (Code 891), P.O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Bases, Albany, GA 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from: Supply Chain Management Center, Attn: Code 583-1, 814 Radford Blvd., Suite 20320, Albany, GA 31704-0320, commercial telephone number (229) 639-6476 or DSN 567-6476.

3.0 Requirements

3.1 The Contractor shall repair the Delay Line strictly in accordance with the requirements as specified in Engineering Drawing 7326651 and Parts List 7326651G3, CAGE 03538. Additionally, the Contractor shall be responsible for developing a test requirements plan, and documenting the test results in a Test Data Report (TDR). The Contractor shall be responsible for all parts, materials, labor, facilities, tools, and test equipment necessary to IROAN the equipment in accordance with this SOW.

3.2 Packaging, Handling, Storage and Transportation (PHS&T)

3.2.1 The Contractor shall be responsible for preservation and packaging of item(s) being repaired under the terms of this statement of work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with the level "A" requirements of MIL-STD-2073-1D, Appendix J, Table J.Ia, Specialized Preservation Code "GX" and shall be packed into a reusable fast-pack container. Items scheduled for domestic shipment for immediate use or

short-term storage shall be in accordance with level "B" requirements and shall be packed into a reusable fast-pack container.

NOTE: Level "A" preservation and packaging shall normally be required due to the anticipated long-term storage requirements. Exceptions: Items that have a confirmed immediate use will be identified in writing by the Logistics Management Specialist (LMS), Marine Corps Systems Command (MCSC), Battlespace Management and Air Defense Systems (BMADS), Albany, Georgia 31704-0343.

- 3.2.2 Marking for shipment and storage shall be in accordance with MIL-STD-129.
- 3.2.3 The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the designated site(s). The Marine Corps will be responsible for all transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 <u>Configuration Control</u>. The Contractor shall apply configuration control procedures to established configuration baseline items. The Contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. All permanent changes to the form, fit or function of the baseline shall be by Engineering Change Proposal (ECP). If it is necessary to temporarily depart from the authorized configuration, the Contractor shall prepare and submit a Request for Deviation (RFD). MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing these configuration control documents.
- 3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 571-1) will coordinate GFE(GFM requests and maintain a central control system on all government owned assets in the Contractor's possession. The MCA will forward a GFE Accountability Agreement to the Contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The Contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. This can be done by mailing a copy of the DD1348 to Materiel Management Department, Management Control Activity (Code 573-2), 814 Radford Blvd., STE 20320, Albany, GA 31704-0320, or by faxing a copy to commercial telephone number 229-639-5498 or DSN 567-5498.
- 3.5 <u>Contractor Furnished Materiel (CFM)</u>. The Contractor may requisition materiel as required in the performance of the SOW through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP,) Chapter 11, provides guidance to contractors on the requisitioning process. The Contractor's decision to utilize CFM procured from the DoD Supply System shall be based upon cost effectiveness, availability of materiel and the required completion/delivery date.
- 3.6 <u>Electrostatic Discharge (ESD) Control Program</u>. The Contractor shall establish, implement and document an ESD control program following the guidelines provided in

JESD625-A. ESD protective measures shall be used during manufacturing, handling, inspection, testing, marking, packaging, storing and transporting ESD sensitive components.

- 3.7 <u>Quality Assurance Provisions</u>. The Contractor shall establish and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9001-2000, Quality Management Systems-Requirements.
- 4.0 Reports. The Contractor shall develop a Test Data Report (TDR) in contractor format, based on test requirements developed by the Contractor (in accordance with this SOW), which references this SOW, the NSN, part number, and serial number of the Delay Line. Upon request, the Contractor shall submit a copy of the TDR electronically (preferred), via regular mail, or by facsimile to the Logistics Management Specialist (LMS). Electronic address is:

 SMBmatcombmads@matcom.usmc.mil. Mailing address is: Commander, Marine Corps Systems Command, Attn: Logistics Management Specialist, Code BMADS, 814 Radford Blvd., Suite 20343, Albany, GA 31704-0343. The LMS can be reached at commercial telephone number (229) 639-5036, or DSN 567-5036. Facsimiles may be sent to commercial telephone number (229) 639-6545 or DSN 567-6545, Attn: Logistics Management Specialist, BMADS.

CONTRACT DATA REQUIREMENTS LIST Form Approved OMB No. 0704-0188 (1 Data Item) The public raperting burden for this collection of information is estimated to sverage 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send commentar regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Hea C. CATEGORY: A. CONTRACT LINE ITEM NO. B. EXHIBIT RIKTO TOP E. CONTRACT/PR NO. F. CONTRACTOR D. SYSTEM/ITEM AN/TPS-59-3 Delay Line 3. SUBTITLE 17. PRICE GROUP 2. TITLE OF DATA ITEM . DATA ITEM NO. Configuration Management Engineering Change Proposal (ECP) A001 6. REQUIRING OFFICE 18. ESTIMATED S. CONTRACT REFERENCE 4. AUTHORITY (Data Acquisition Document No.) MCLBA (583) DI-CMAN-80639C SOW 3.3 12. DATE OF FIRST SUBMISSION 7. DD 250 REQ B. DIST STATEMENT 10. FREQUENCY 14. DISTRIBUTION REQUIRED **ASREQ** See Blk 16 b. COPIES LT 13. DATE OF SUBSEQUENT SUBMISSION 11. AS OF DATE a. ADDRESSEE E. APP CODE Draft A Repro MCLBA (583-1) 1 0 15. REMARKS Blk 4 - Contractor format submitted in .pdf or .doc format is authorized. Blks 10 & 12 - ECPs shall be submitted for all proposed changes which permanently affect the baseline of a configuration item. ECPs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government. Block 14: ECPs shall be transmitted via E-Mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil Distribution Statement A: Approved for Public Release; Distribution is Unlimited.

G. PREPARED BY

10 DEC 02 PREVIOUS EDITION MAY BE USED. Page of

16. TOTAL

J. DATE

0

TOTAL PRICE

CONTRACT DATA REQUIREMENTS LIST (1 Data Item) The phiblic reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gethering and mointeining the data needed, and completing and reviewing the collection of information. Sand comments regarding this burden estimate or any either aspect of this collection of information, including suggestions for reducing the burden, to Department of Defanas, Wearington

A. CONTRACT LINE ITEM NO. D. SYSTEMITEM AND/TPS-59(V)3 Delay Line Request For Deviation Request For Deviation SOW 3.3 LINE STATEMENT AND AND DI-CMAN-RO-BO-BO-BO-BO-BO-BO-BO-BO-BO-BO-BO-BO-BO		evision of leted form	Send compl	withstanding bove address.	Respondents should be aware that not ease DO NOT RETURN your form to the a	, VA 22202-4302. Arel number. Plea	ris Highway, Suite 1204, Arlington, at display a currently velid OMB cont	1-0188), 1215 Jeffersen D on ef information if it does : ock E.	and Reperts (0701- ply with a collection PR No. listed in Bloc	terate for Information Operations a ct to any penalty for failing to comp intracting Officer for the Contract/P	leadquarters Services, Direc ew, no person shall be subject the Government Issuing Co
AN/TPS-59(V)3 Delay Line DATA ITEM NO. A002 Request For Deviation Configuration Management E. AUTHORITY (Data Acquesition Decument No.) DI-CMAN-80640C DI-CMAN-80640C DI-CMAN-80640C DI-CMAN-80640C DI-CMAN-80640C SOW 3.3 B. DIST STATEMENT REQUIRED ASREQ See Blk 16 II. AS OF DATE III. DATE OF SUBBEQUENT SUBMISSION III. DATE OF SUBBEQUENT SUBMISSION III. AS OF DATE III. AS OF SALE SUBMISSION III. AS OF DATE III. AS OF PARCE III. AS OF FIRST SUBMISSION I							C. CATEGORY:				
Request For Deviation AUTHORITY (Date Acquaistion Decumen No.) DI-CMAN-80640C DI-CMAN-80640C SOW 3.3 DIST STATEMENT REQUIRED ASREQ 10. FREQUENCY ASREQ 11. AS OF DATE 11. AS OF DATE 11. AS OF DATE Blks 10 & 12 - RFDs shall be submitted in .pdf or .doc format is authorized. Blks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver monconforming material which does not meet prescribed configuration RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government. Block 14: RFDs shall be transmitted via E-Mail to the following address: Block 14: RFDs shall be transmitted via E-Mail to the following address: Block 14: RFDs shall be transmitted via E-Mail to the following address: Block 14: RFDs shall be transmitted via E-Mail to the following address:					ACTOR	F. CONTRA	NO.	E. CONTRACT/PI	ine	5-59(V)3 Delay Li	
AUTHORITY (Date Acquisition Document No.) DI-CMAN-80640C SOW 3.3 DI-ST STATEMENT REQUIRED ASREQ See Blk 16 ASREQ See Blk	17. PRICE O					3. SUBTITLE				2. TITLE OF DATA ITEM	DATA ITEM NO.
DI-CMAN-80640C DI-CMAN-80640C DI-CMAN-80640C DI-CMAN-80640C SOW 3.3 MCLBA (583) 10. FREQUENCY ASREQ See Blk 16 11. AS OF DATE ASREQ 13. DATE OF SUBSEQUENT SUBMISSION A NODRESSEE A NODRESSEE Draft Final Regulation Draft Regulation Regulation Regulation Regulation Regulation Regulation Regulation Regulation Draft Final Regulation Regulation Draft Final Regulation Draft Regulation Regulation Regulation Draft Final Regulation Regulation Draft Final Regulation							Request For Deviation				A002
DD 250 REQ	10. ESTIMA TOTAL						*				
ASREQ See Blk 16 II. AS OF DATE II. AS OF DATE III. AS	1								Vac toronem		
APP CODE A A A 11. AS OF DATE 13. DATE OF SUBSEQUENT SUBMISSION 13. DATE OF SUBSEQUENT SUBMISSION 15. ADDRESSEE 16. ADDRESSEE 17. DATE OF SUBSEQUENT SUBMISSION 18. ADDRESSEE 19.									1		
A A Submission Submiss		, al			ADDRESSEE		I			- A	
REMARKS Silk 4 - Contractor format submitted in .pdf or .doc format is authorized. Blks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver conconforming material which does not meet prescribed configuration locumentation. RFDs will be reviewed and disposition determined within 30 calendar days upon eccipt by the Government. Block 14: RFDs shall be transmitted via E-Mail to the following address: Inbmatcomconfigmngmnt@matcom.usmc.mil	i			Dreft	4, 7001114414						
REAL A - Contractor format submitted in .pdf of .doc format is authorized. Silks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver conconforming material which does not meet prescribed configuration ocumentation. RFDs will be reviewed and disposition determined within 30 calendar days upon ecceipt by the Government. Block 14: RFDs shall be transmitted via E-Mail to the following address: Block 14: RFDs shall be transmitted via E-Mail to the following address:	i	0	1	0	MCLBA (583-1)					<u> </u>	Brian BVA
lock 14: RFDs shall be transmitted via E-Mail to the following address: bmatcomconfigmngmnt@matcom.usmc.mil	 					r	orization to delivered configuration	to obtain auth meet prescrib	ubmitted t does not n	- RFDs shall be so g material which o	lks 10 & 12 onconforming ocumentation
Distribution Statement A: Approved for Public Release; Distribution is inlimited.	 						following address	E-Mail to the c.mil	nitted via l	Os shall be transm figmngmnt@matc	lock 14: RFI
	İ						e; Distribution is	Public Releas	oved for l	tatement A: Appro	Distribution Si Inlimited.
] :]										
								•			
	1										
	1										
	İ										
	 			<u> </u>							
1	ļ į		ĺ								
16. TOTAL		0			16. TOTAL						
PREPARED BY OGNA C COLD 9/02/02 Robert W. Jung. 10 DEC 02		02). Jungt.			H. DATE 9/02/	B	c Oas	PREPARED BY

Designed using Parform Pro, WHS/DIOR, Aug 96